

64613 75 W 12 V

Halogen lamps with reflector MR11



Product family features

- Xenon instead of krypton as the filler gas (XENOPHOT HLX versions)
- Luminous flux up to 10 % higher with same power consumption (XENOPHOT HLX versions)




October 30, 2019, 09:32:29 64613 75 W 12 V


Technical data

Product information

Order reference	64613 75W 12V G		
Electrical data			
Nominal voltage	12.0 V		
Nominal wattage	75.00 W		
Photometrical data			
Maximum color temperature	3200 К		
Light technical data			
Focal length	26.0 mm		

Dimensions & weight





Diameter	35.0 mm
Length	35.5 mm

Lifespan

Lifespan	25 h

Additional product data

Coating	Blue
Base (standard designation)	G5.3
Product remark	If used in dentistry there may be third-party rights that need observing in certain countries/Available on request
Minimum diameter of lamp enclosure	35.0 mm

Capabilities

Dimmable	Yes
Cooling	Forced
Burning position	p90/p15
Application	Other

Certificates & standards

Country specific categorizations

|--|

Country specific information

Product code	METEL code	SEG-No.	STK-Number	UK Org
4050300241012	OSRH64613	-	-	-



Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4050300241012	64613 75 W 12 V	Folding carton box 1	40 mm x 34 mm x 34 mm	0.05 dm³	19.00 g
4050300029672	64613 75 W 12 V	Shipping carton box 20	191 mm x 81 mm x 131 mm	2.03 dm ³	448.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

References / Links

For further technical information please refer to the following OSRAM brochure: "Technology and applications, Low-voltage tungsten-halogen lamps" "Halogen lamps, low and medium voltage for entertainment, technical and medical applications" cross reference list

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.