

DULUX S BL UVA 9 W/78

OSRAM BLUE UV-A | Ultraviolet lamps



Areas of application

- Insect traps
- Cosmetic nail curing
- Manufacture of printed circuit boards
- Tempering and curing of photosensitive material
- Fluorescent exciter for scientific and criminological investigations
- Manufacture of dental prosthetics
- Testing of banknotes and credit cards
- Terrarium illumination

Product family benefits

- Eco-friendly, chemical-free
- High quality and long service life
- Ideal for insect traps and other UVA applications
- Emits effective long-wave UVA
- Different form factors enable freedom of design
- RoHS-compliant
- Lead-free
- Low mercury content



Product datasheet

Technical data

Product information

Order reference	DUL S BL UVA 9W
-----------------	-----------------

Electrical data

Lamp voltage	60 V
Lamp current	0.18 A
Nominal wattage	9.00 W

Photometrical data

Luminous intensity	7800 cd
Radiated power 315...400 nm (UVA)	1.5 W

Dimensions & weight



Diameter	12.0 mm
Length	165.5 mm

Additional product data

Base (standard designation)	G23
-----------------------------	-----

Capabilities

Dimmable	No
Burning position	s180

Country specific categorizations

Order reference	DUL S BL UVA 9W
-----------------	-----------------

Country specific information

Product datasheet

Product code	METEL-Code	SEG-No.	STK number	UK Org
4052899125094	-	-	4934194	-

Product datasheet

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4052899125094	DULUX S BL UVA 9 W/78	Folding carton box 1	36 mm x 23 mm x 171 mm	0.14 dm ³	41.00 g
4052899125100	DULUX S BL UVA 9 W/78	Shipping carton box 10	126 mm x 81 mm x 183 mm	1.87 dm ³	401.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.