

L BLUE UVA 18 W/78

OSRAM BLUE UV-A | Ultraviolet lamps



Areas of application

- Insect traps
- Cosmetic nail curing
- Manufacture of printed circuit boards
- Tempering and curing of photosensitive material
- Fluorescent exciter for scientific and criminological investigations
- Manufacture of dental prosthetics
- Testing of banknotes and credit cards
- Terrarium illumination

Product family benefits

- Eco-friendly, chemical-free
- High quality and long service life
- Ideal for insect traps and other UVA applications
- Emits effective long-wave UVA
- Different form factors enable freedom of design
- RoHS-compliant
- Lead-free
- Low mercury content



Product datasheet

Technical data

Product information

Order reference	L BLUE 18W/78 2
-----------------	-----------------


Electrical data

Nominal voltage	55 V
Lamp voltage	55 V
Construction voltage	230.00 V
Lamp current	0.37 A
Nominal wattage	18.00 W

Photometrical data

Luminous intensity	7800 cd
Radiated power 315...400 nm (UVA)	4.7 W

Dimensions & weight



Diameter	26.0 mm
Length	590.0 mm

Additional product data

Base (standard designation)	G13
-----------------------------	-----

Capabilities

Dimmable	No
Burning position	s180

Country specific categorizations

Order reference	L BLUE 18W/78 2
-----------------	-----------------

Product datasheet

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321880468	L BLUE UVA 18 W/78	Sleeves 1	605 mm x 28 mm x 27 mm	0.46 dm ³	120.00 g
4008321880475	L BLUE UVA 18 W/78	Shipping carton box 25	632 mm x 154 mm x 157 mm	15.28 dm ³	3362.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.