



# TUV Dynapower system

## TUV 260W XPT DIM UNP/20

Philips Dynapower system consists of an electronic DynaPower driver that operates one or two TUV Amalgam 230W, 260W and 335W XPT lamps. This system is extremely reliable and robust. The driver allows for immediate energy savings compared to similar drivers on the market. Moreover, it can be dimmed down to 60% power level for additional energy savings. Further energy savings are realized by the TUV Amalgam XPT lamps, because they can be dimmed down to reach the same UV output as similar lamps on the market.

### Product data

General Information	
Cap-Base	G5.4X17Q [ G5.4x17q]
Operating Position	P10 [ Parallel +/-10D or Horizontal(HOR)]
Main Application	Disinfection
Operating and Electrical	
Power (Rated) (Nom)	260 W
Lamp Current (Nom)	3.055 A
Controls and Dimming	
Dimmable	Yes


Product Data	
Full product code	871150021131605
Order product name	TUV 260W XPT DIM UNP/20
EAN/UPC - Product	8711500211316
Order code	928102805112
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	20
Material Nr. (12NC)	928102805112
Net Weight (Piece)	0.480 kg

# TUV Dynapower system

## Warnings and Safety

- A lamp breaking is extremely unlikely to have any impact on your health. If a lamp breaks, ventilate the room for 30 minutes and remove the parts, preferably with gloves. Put them in a sealed plastic bag and take it to your local waste facilities for recycling. Do not use a vacuum cleaner.
- DANGER: Risk Group 3 Ultra Violet product. These lamps emit high-power UV radiation that can cause severe injury to skin and eyes. Avoid eye and skin exposure to unshielded product. Use only in an enclosed environment which shields users from the radiation.



## Dimensional drawing



Product	D	O	C (max)
TUV 260W XPT DIM UNP/20	32 mm	1400 mm	1514 mm

TUV 260W XPT DIM


## Photometric data



TUV Amalgam XPT systems

TUV Amalgam XPT systems

## Lifetime



TUV Amalgam XPT systems

## TUV Dynapower system

